





The Majestic 30W is a high performance IP66 rated street light optimised for high uniformity and maximum spacing's between columns.

Manufactured from aluminium die-casting housing, stainless steel fixings and featuring a high impact glass cover for additional protection.

Options include Nema socket, LED colour temperature and spigot size.

# Majestic 30W - LED Street Light

## Street Lighting




## Features

- LED rating 3,792lm (4000K & 6000K).
- LED rating 3,208lm (3000K).
- Luminaire flux 3,337lm (4000K & 6000K).
- Luminaire flux 2,823lm (3000K).
- 3000K (WW), 4000K (NW) and 6000K (CW) colour temperature options.
- Total wattage 30W
- -20 to +40°C operating temperature
- LED Life span > 100,000hrs.
- Osram LED and Osram Driver.
- Post-top or side-entry, 34/60/76mm spigot options.
- Aluminium die-casting housing for maximum heat dissipation
- Corrosion resistant polyester powder coating.
- Optimised optics for high uniformity and maximum spacing's between columns.

## Applications

- Roads
- Residential
- Railway Stations
- Shopping Precincts
- Parks & Gardens
- Security



## Specifications

### Majestic 30W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage(W)	Colour Name	CCT (K)	CRI	Voltage	Drive Current	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Spigot Size (mm)
<b>Standard-Grey-6K</b>														
MJ30-A5C-00G-34	Majestic-30W-LED-AC-6K-Std-Grey-34mm	LED	3,792	30	CW	6K	Ra>70	220-240	500	3,337	111	7.9	Grey	34
MJ30-A5C-00G-60	Majestic-30W-LED-AC-6K-Std-Grey-60mm	LED	3,792	30	CW	6K	Ra>70	220-240	500	3,337	111	7.9	Grey	60
MJ30-A5C-00G-76	Majestic-30W-LED-AC-6K-Std-Grey-76mm	LED	3,792	30	CW	6K	Ra>70	220-240	500	3,337	111	7.9	Grey	76
<b>Standard-Grey-4K</b>														
MJ30-A5N-00G-34	Majestic-30W-LED-AC-4K-Std-Grey-34mm	LED	3,792	30	NW	4K	Ra>70	220-240	500	3,337	111	7.9	Grey	34
MJ30-A5N-00G-60	Majestic-30W-LED-AC-4K-Std-Grey-60mm	LED	3,792	30	NW	4K	Ra>70	220-240	500	3,337	111	7.9	Grey	60
MJ30-A5N-00G-76	Majestic-30W-LED-AC-4K-Std-Grey-76mm	LED	3,792	30	NW	4K	Ra>70	220-240	500	3,337	111	7.9	Grey	76
<b>Standard-Grey-3K</b>														
MJ30-A5W-00G-34	Majestic-30W-LED-AC-3K-Std-Grey-34mm	LED	3,208	30	WW	3K	Ra>80	220-240	500	2,823	94	7.9	Grey	34
MJ30-A5W-00G-60	Majestic-30W-LED-AC-3K-Std-Grey-60mm	LED	3,208	30	WW	3K	Ra>80	220-240	500	2,823	94	7.9	Grey	60
MJ30-A5W-00G-76	Majestic-30W-LED-AC-3K-Std-Grey-76mm	LED	3,208	30	WW	3K	Ra>80	220-240	500	2,823	94	7.9	Grey	76
<b>Standard-Black-6K</b>														
MJ30-A5C-00B-34	Majestic-30W-LED-AC-6K-Std-Black-34mm	LED	3,792	30	CW	6K	Ra>70	220-240	500	3,337	111	7.9	Black	34
MJ30-A5C-00B-60	Majestic-30W-LED-AC-6K-Std-Black-60mm	LED	3,792	30	CW	6K	Ra>70	220-240	500	3,337	111	7.9	Black	60
MJ30-A5C-00B-76	Majestic-30W-LED-AC-6K-Std-Black-76mm	LED	3,792	30	CW	6K	Ra>70	220-240	500	3,337	111	7.9	Black	76

# Specifications

## Majestic 30W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage(W)	Colour Name	CCT (K)	CRI	Voltage (VAC)	Drive Current	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Spigot Size (mm)
<b>Standard-Black-4K</b>														
MJ30-A5N-00B-34	Majestic-30W-LED-AC-4K-Std-Black-34mm	LED	3,792	30	NW	4K	Ra>70	220-240	500	3,337	111	7.9	Black	34
MJ30-A5N-00B-60	Majestic-30W-LED-AC-4K-Std-Black-60mm	LED	3,792	30	NW	4K	Ra>70	220-240	500	3,337	111	7.9	Black	60
MJ30-A5N-00B-76	Majestic-30W-LED-AC-4K-Std-Black-76mm	LED	3,792	30	NW	4K	Ra>70	220-240	500	3,337	111	7.9	Black	76
<b>Standard-Black-3K</b>														
MJ30-A5W-00B-34	Majestic-30W-LED-AC-3K-Std-Black-34mm	LED	3,208	30	WW	3K	Ra>80	220-240	500	2,823	94	7.9	Black	34
MJ30-A5W-00B-60	Majestic-30W-LED-AC-3K-Std-Black-60mm	LED	3,208	30	WW	3K	Ra>80	220-240	500	2,823	94	7.9	Black	60
MJ30-A5W-00B-76	Majestic-30W-LED-AC-3K-Std-Black-76mm	LED	3,208	30	WW	3K	Ra>80	220-240	500	2,823	94	7.9	Black	76
<b>Standard-Grey-NemaSocket-6K</b>														
MJ30-A5C-06G-34	Majestic-30W-LED-AC-6K-Std-NemaSocket-Grey-34mm	LED	3,792	30	CW	6K	Ra>70	220-240	500	3,337	111	8	Grey	34
MJ30-A5C-06G-60	Majestic-30W-LED-AC-6K-Std-NemaSocket-Grey-60mm	LED	3,792	30	CW	6K	Ra>70	220-240	500	3,337	111	8	Grey	60
MJ30-A5C-06G-76	Majestic-30W-LED-AC-6K-Std-NemaSocket-Grey-76mm	LED	3,792	30	CW	6K	Ra>70	220-240	500	3,337	111	8	Grey	76
<b>Standard-Grey-NemaSocket-4K</b>														
MJ30-A5N-06G-34	Majestic-30W-LED-AC-4K-Std-NemaSocket-Grey-34mm	LED	3,792	30	NW	4K	Ra>70	220-240	500	3,337	111	8	Grey	34
MJ30-A5N-06G-60	Majestic-30W-LED-AC-4K-Std-NemaSocket-Grey-60mm	LED	3,792	30	NW	4K	Ra>70	220-240	500	3,337	111	8	Grey	60
MJ30-A5N-06G-76	Majestic-30W-LED-AC-4K-Std-NemaSocket-Grey-76mm	LED	3,792	30	NW	4K	Ra>70	220-240	500	3,337	111	8	Grey	76
<b>Standard-Grey-NemaSocket-3K</b>														
MJ30-A5W-06G-34	Majestic-30W-LED-AC-3K-Std-NemaSocket-Grey-34mm	LED	3,208	30	WW	3K	Ra>80	220-240	500	2,823	94	8	Grey	34
MJ30-A5W-06G-60	Majestic-30W-LED-AC-3K-Std-NemaSocket-Grey-60mm	LED	3,208	30	WW	3K	Ra>80	220-240	500	2,823	94	8	Grey	60
MJ30-A5W-06G-76	Majestic-30W-LED-AC-3K-Std-NemaSocket-Grey-76mm	LED	3,208	30	WW	3K	Ra>80	220-240	500	2,823	94	8	Grey	76
<b>Standard-Black-NemaSocket-6K</b>														
MJ30-A5C-06B-34	Majestic-30W-LED-AC-6K-Std-NemaSocket-Black-34mm	LED	3,792	30	CW	6K	Ra>70	220-240	500	3,337	111	8	Black	34
MJ30-A5C-06B-60	Majestic-30W-LED-AC-6K-Std-NemaSocket-Black-60mm	LED	3,792	30	CW	6K	Ra>70	220-240	500	3,337	111	8	Black	60
MJ30-A5C-06B-76	Majestic-30W-LED-AC-6K-Std-NemaSocket-Black-76mm	LED	3,792	30	CW	6K	Ra>70	220-240	500	3,337	111	8	Black	76
<b>Standard-Black-NemaSocket-4K</b>														
MJ30-A5N-06B-34	Majestic-30W-LED-AC-4K-Std-NemaSocket-Black-34mm	LED	3,792	30	NW	4K	Ra>70	220-240	500	3,337	111	8	Black	34
MJ30-A5N-06B-60	Majestic-30W-LED-AC-4K-Std-NemaSocket-Black-60mm	LED	3,792	30	NW	4K	Ra>70	220-240	500	3,337	111	8	Black	60
MJ30-A5N-06B-76	Majestic-30W-LED-AC-4K-Std-NemaSocket-Black-76mm	LED	3,792	30	NW	4K	Ra>70	220-240	500	3,337	111	8	Black	76
<b>Standard-Black-NemaSocket-3K</b>														
MJ30-A5W-06B-34	Majestic-30W-LED-AC-3K-Std-NemaSocket-Black-34mm	LED	3,208	30	WW	3K	Ra>80	220-240	500	2,823	94	8	Black	34
MJ30-A5W-06B-60	Majestic-30W-LED-AC-3K-Std-NemaSocket-Black-60mm	LED	3,208	30	WW	3K	Ra>80	220-240	500	2,823	94	8	Black	60
MJ30-A5W-06B-76	Majestic-30W-LED-AC-3K-Std-NemaSocket-Black-76mm	LED	3,208	30	WW	3K	Ra>80	220-240	500	2,823	94	8	Black	76

Legend: **Std** = Standard. **3K** = Warm White (3000K). **4K** = Neutral White (4000K). **6K** = Cool White (6000K). **WW** = Warm White. **NW** = Neutral White. **CW** = Cool White.