





The Majestic 60W is a high performance IP66 rated street light optimised for high uniformity and maximum spacing's between columns.

Manufactured from aluminium die-casting housing, stainless steel fixings and featuring a high impact glass cover for additional protection.

Options include Nema socket, LED colour temperature and spigot size.

Majestic 60W - LED Street Light

Street Lighting




Features

- LED rating 8,532lm (4000K & 6000K).
- LED rating 7,218lm (3000K).
- Luminaire flux 7,508lm (4000K & 6000K).
- Luminaire flux 6,352lm (3000K).
- 3000K (WW), 4000K (NW) and 6000K (CW) colour temperature options.
- Total wattage 60W
- -20 to +40°C operating temperature
- LED Life span > 100,000hrs.
- Osram LED and Osram Driver.
- Post-top or side-entry, 34/60/76mm spigot options.
- Aluminium die-casting housing for maximum heat dissipation
- Corrosion resistant polyester powder coating.
- Optimised optics for high uniformity and maximum spacing's between columns.

Applications

- Roads
- Residential
- Railway Stations
- Shopping Precincts
- Parks & Gardens
- Security



Specifications

Majestic 60W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage(W)	Colour Name	CCT (K)	CRI	Voltage	Drive Current	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Spigot Size (mm)
Standard-Grey-6K														
MJ60-A5C-00G-34	Majestic-60W-LED-AC-6K-Std-Grey-34mm	LED	8,532	60	CW	6K	Ra>70	220-240	500	7,508	125	7.9	Grey	34
MJ60-A5C-00G-60	Majestic-60W-LED-AC-6K-Std-Grey-60mm	LED	8,532	60	CW	6K	Ra>70	220-240	500	7,508	125	7.9	Grey	60
MJ60-A5C-00G-76	Majestic-60W-LED-AC-6K-Std-Grey-76mm	LED	8,532	60	CW	6K	Ra>70	220-240	500	7,508	125	7.9	Grey	76
Standard-Grey-4K														
MJ60-A5N-00G-34	Majestic-60W-LED-AC-4K-Std-Grey-34mm	LED	8,532	60	NW	4K	Ra>70	220-240	500	7,508	125	7.9	Grey	34
MJ60-A5N-00G-60	Majestic-60W-LED-AC-4K-Std-Grey-60mm	LED	8,532	60	NW	4K	Ra>70	220-240	500	7,508	125	7.9	Grey	60
MJ60-A5N-00G-76	Majestic-60W-LED-AC-4K-Std-Grey-76mm	LED	8,532	60	NW	4K	Ra>70	220-240	500	7,508	125	7.9	Grey	76
Standard-Grey-3K														
MJ60-A5W-00G-34	Majestic-60W-LED-AC-3K-Std-Grey-34mm	LED	7,218	60	WW	3K	Ra>80	220-240	500	6,352	106	7.9	Grey	34
MJ60-A5W-00G-60	Majestic-60W-LED-AC-3K-Std-Grey-60mm	LED	7,218	60	WW	3K	Ra>80	220-240	500	6,352	106	7.9	Grey	60
MJ60-A5W-00G-76	Majestic-60W-LED-AC-3K-Std-Grey-76mm	LED	7,218	60	WW	3K	Ra>80	220-240	500	6,352	106	7.9	Grey	76
Standard-Black-6K														
MJ60-A5C-00B-34	Majestic-60W-LED-AC-6K-Std-Black-34mm	LED	8,532	60	CW	6K	Ra>70	220-240	500	7,508	125	7.9	Black	34
MJ60-A5C-00B-60	Majestic-60W-LED-AC-6K-Std-Black-60mm	LED	8,532	60	CW	6K	Ra>70	220-240	500	7,508	125	7.9	Black	60
MJ60-A5C-00B-76	Majestic-60W-LED-AC-6K-Std-Black-76mm	LED	8,532	60	CW	6K	Ra>70	220-240	500	7,508	125	7.9	Black	76

Specifications

Majestic 60W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage(W)	Colour Name	CCT (K)	CRI	Voltage (VAC)	Drive Current	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Spigot Size (mm)
Standard-Black-4K														
MJ60-A5N-00B-34	Majestic-60W-LED-AC-4K-Std-Black-34mm	LED	8,532	60	NW	4K	Ra>70	220-240	500	7,508	125	7.9	Black	34
MJ60-A5N-00B-60	Majestic-60W-LED-AC-4K-Std-Black-60mm	LED	8,532	60	NW	4K	Ra>70	220-240	500	7,508	125	7.9	Black	60
MJ60-A5N-00B-76	Majestic-60W-LED-AC-4K-Std-Black-76mm	LED	8,532	60	NW	4K	Ra>70	220-240	500	7,508	125	7.9	Black	76
Standard-Black-3K														
MJ60-A5W-00B-34	Majestic-60W-LED-AC-3K-Std-Black-34mm	LED	7,218	60	WW	3K	Ra>80	220-240	500	6,352	106	7.9	Black	34
MJ60-A5W-00B-60	Majestic-60W-LED-AC-3K-Std-Black-60mm	LED	7,218	60	WW	3K	Ra>80	220-240	500	6,352	106	7.9	Black	60
MJ60-A5W-00B-76	Majestic-60W-LED-AC-3K-Std-Black-76mm	LED	7,218	60	WW	3K	Ra>80	220-240	500	6,352	106	7.9	Black	76
Standard-Grey-NemaSocket-6K														
MJ60-A5C-06G-34	Majestic-60W-LED-AC-6K-Std-NemaSocket-Grey-34mm	LED	8,532	60	CW	6K	Ra>70	220-240	500	7,508	125	8	Grey	34
MJ60-A5C-06G-60	Majestic-60W-LED-AC-6K-Std-NemaSocket-Grey-60mm	LED	8,532	60	CW	6K	Ra>70	220-240	500	7,508	125	8	Grey	60
MJ60-A5C-06G-76	Majestic-60W-LED-AC-6K-Std-NemaSocket-Grey-76mm	LED	8,532	60	CW	6K	Ra>70	220-240	500	7,508	125	8	Grey	76
Standard-Grey-NemaSocket-4K														
MJ60-A5N-06G-34	Majestic-60W-LED-AC-4K-Std-NemaSocket-Grey-34mm	LED	8,532	60	NW	4K	Ra>70	220-240	500	7,508	125	8	Grey	34
MJ60-A5N-06G-60	Majestic-60W-LED-AC-4K-Std-NemaSocket-Grey-60mm	LED	8,532	60	NW	4K	Ra>70	220-240	500	7,508	125	8	Grey	60
MJ60-A5N-06G-76	Majestic-60W-LED-AC-4K-Std-NemaSocket-Grey-76mm	LED	8,532	60	NW	4K	Ra>70	220-240	500	7,508	125	8	Grey	76
Standard-Grey-NemaSocket-3K														
MJ60-A5W-06G-34	Majestic-60W-LED-AC-3K-Std-NemaSocket-Grey-34mm	LED	7,218	60	WW	3K	Ra>80	220-240	500	6,352	106	8	Grey	34
MJ60-A5W-06G-60	Majestic-60W-LED-AC-3K-Std-NemaSocket-Grey-60mm	LED	7,218	60	WW	3K	Ra>80	220-240	500	6,352	106	8	Grey	60
MJ60-A5W-06G-76	Majestic-60W-LED-AC-3K-Std-NemaSocket-Grey-76mm	LED	7,218	60	WW	3K	Ra>80	220-240	500	6,352	106	8	Grey	76
Standard-Black-NemaSocket-6K														
MJ60-A5C-06B-34	Majestic-60W-LED-AC-6K-Std-NemaSocket-Black-34mm	LED	8,532	60	CW	6K	Ra>70	220-240	500	7,508	125	8	Black	34
MJ60-A5C-06B-60	Majestic-60W-LED-AC-6K-Std-NemaSocket-Black-60mm	LED	8,532	60	CW	6K	Ra>70	220-240	500	7,508	125	8	Black	60
MJ60-A5C-06B-76	Majestic-60W-LED-AC-6K-Std-NemaSocket-Black-76mm	LED	8,532	60	CW	6K	Ra>70	220-240	500	7,508	125	8	Black	76
Standard-Black-NemaSocket-4K														
MJ60-A5N-06B-34	Majestic-60W-LED-AC-4K-Std-NemaSocket-Black-34mm	LED	8,532	60	NW	4K	Ra>70	220-240	500	7,508	125	8	Black	34
MJ60-A5N-06B-60	Majestic-60W-LED-AC-4K-Std-NemaSocket-Black-60mm	LED	8,532	60	NW	4K	Ra>70	220-240	500	7,508	125	8	Black	60
MJ60-A5N-06B-76	Majestic-60W-LED-AC-4K-Std-NemaSocket-Black-76mm	LED	8,532	60	NW	4K	Ra>70	220-240	500	7,508	125	8	Black	76
Standard-Black-NemaSocket-3K														
MJ60-A5W-06B-34	Majestic-60W-LED-AC-3K-Std-NemaSocket-Black-34mm	LED	7,218	60	WW	3K	Ra>80	220-240	500	6,352	106	8	Black	34
MJ60-A5W-06B-60	Majestic-60W-LED-AC-3K-Std-NemaSocket-Black-60mm	LED	7,218	60	WW	3K	Ra>80	220-240	500	6,352	106	8	Black	60
MJ60-A5W-06B-76	Majestic-60W-LED-AC-3K-Std-NemaSocket-Black-76mm	LED	7,218	60	WW	3K	Ra>80	220-240	500	6,352	106	8	Black	76

Legend: **Std** = Standard. **3K** = Warm White (3000K). **4K** = Neutral White (4000K). **6K** = Cool White (6000K). **WW** = Warm White. **NW** = Neutral White. **CW** = Cool White.